

*Windows for a Lifetime*



SoftLite<sup>®</sup>  
**Pro**<sup>™</sup>

SoftLite<sup>®</sup>  
**Classic**<sup>™</sup>

 **Soft-Lite**<sup>®</sup>  
Windows  
*Bringing quality to light.*

# 2 Great Windows

These days, with so many choices, deciding on a window can be challenging. So we've made it easy for you!

We feature two extremely energy efficient windows that both provide beauty and comfort. The chart below explains their differences and helps you choose the right window for your home.

## You Can See The Difference!



	<b>Soft-Lite® Pro</b>	<b>Soft-Lite® Classic</b>
Top of Frame*	Full Head Bevel	Drip Cap
Interior/Exterior Colors	Soft-White™, Beige, Brown†	Soft-White™, Beige, Brown†
Spacer System*	Super Spacer® (Standard)	Intercept® (Standard)
Glass Pack Standard*	Double Strength dsb/low-e/argon	Single Strength ssb/low-e Plus/argon
Lifetime Glass Breakage*	Optional with 10% upcharge	Optional with 10% upcharge
Comfort-Foam™*	Frame/Sash (Standard)	Frame/Sash (Optional)
Reinforcement at Meeting Rail*	All sizes (Standard)	48" and up (Standard)
Overall IGU Thickness	7/8"	3/4"
Balance System	1/2" Certa-Force™	1/2" Certa-Force™
Balance Covers	yes	yes
Screen	Extruded Alum-Black-Half-Screen	Extruded Alum-Black-Half-Screen
Standard Lock	Delta Cam	Delta Cam
Nailing Fin/Nailing Fin & J-Channel	Optional	Optional
NFRC®-Thermal	U-factor - 0.28	U-factor - 0.30
Solar Heat Gain Coefficient	SHGC - 0.30	SHGC - 0.29
<b>GOLD LABEL CERTIFICATION — Meets and exceeds Industry Standards</b>		
AAMA® Overall	R-50	R-35
AAMA® Structural	DP-50/171 mph	DP-35/143 mph
AAMA® Water	Grade 50-54 mph	Grade 45-51 mph
AAMA® Air	0.07cfm at 25mph	0.07cfm at 25mph**

\*Upgrade options, see price book.

†Brown is AAMA® SILVER Label Certified.

\*\*with reinforcement upgrade. Standard Classic™ without reinforcement is .11CFM

### Special Features Provide Durability and Energy Efficiency



Comfort-Foam™ improves thermal efficiency and reduces outside noise. Comes standard on the Pro™ and optional on the Classic™.



Metal reinforcement is standard on Pro™ and optional on Classic™.



Aesthetically pleasing fusion weld is featured on both the sash and main frame.



## Soft-Lite® Windows Will Give You Peace of Mind!

1. Superior Design: One-piece telescoping sloped sill creates strong bond between sill and jamb for maximum weather protection.
2. Superior Engineering: Triple Interlocking Systems. Top and bottom sash lock into sill frame. Meeting rails interlock to create a weather barrier and add structural integrity.
3. Multi-chambered frames with heavy gauge vinyl walls provide superior strength and increased thermal efficiency.
4. Pro™/Classic™ windows use Soft-Lite® lead-free, virgin PVC vinyl. This superior quality, maintenance-free vinyl stands up to the weather, wherever you live, for a lifetime.
5. Drip Cap design at the head of the Classic™ window provides excellent water shedding. The Pro™ window uses a full beveled head for a consistent look around the top and sides of the window.
6. Insulated glass saves energy year round and reduces outside noise.
7. Spacer Systems: Classic™ incorporates Intercept® spacer technology for reduced thermal conduction and condensation around glass perimeter. For optimal reduction of heat and cold transfer around the glass perimeter, Pro™ uses TrueWarm® SuperSpacer®.
8. With our innovative Certa-Force™ System your windows will always provide the easiest lift action possible. Our system is corrosion proof, never needs lubrication, and comes with a lifetime warranty.
9. Tight mortise-cut, double-wall sill dam extends inside the jamb, eliminating the need to caulk an open seam.



**Soft-Lite® Pro™**  
Dual Pane High  
Performance **Double**  
**Strength Low-E Glass with**  
**Super Spacer® and Argon**




**Soft-Lite® Classic™**  
Dual Pane High Performance  
**Single Strength Low-E Plus™**  
**Glass with Intercept® and Argon**

The PRO™ and CLASSIC™ are offered in several energy efficient glass options. Also available are tinted and tempered glass, and Solar Low-e coating which blocks 94% of damaging UV rays and minimizes fading.



**Triple Pane Ultimate Glass™**  
with **Super Spacer®**  
and **Krypton**



**Triple Pane Ultra Glass™**  
with **Intercept®** Spacer  
and **Argon**



Screen latch  
locks screen in  
place.



Delta heavy duty  
lock secures  
sashes and gives  
maximum weather  
protection.



1) Heavy duty vent  
lock allows window  
to remain partially  
open.  
2) Low profile tilt  
latches are easy to  
use.

# Soft-Lite® Choices

One of the greatest benefits of choosing our Soft-Lite® windows are their decorative choices.

Your new Soft-Lite® Pro™ or Classic windows will not only keep you comfortable with excellent energy efficient characteristics, they will also keep you smiling with all their color choices and grid options.



## Contour Grids




## Flat Grids




Grids are available in colors to match your windows. All contour and flat grids are contained within the insulated glass. The grids stay dirt-free for a lifetime and the outside glass remains easy to clean.

## Grid Patterns



Diamond  
(Flat Only)



Colonial  
(Flat and  
Contour)



Starburst  
(Flat and Contour)



Sunburst  
(Flat Only)

# Color Choices

STANDARD  
INT./EXT.  
VINYL COLORS

Beige\*\*

*Soft-White™*

Brown†

\*\*Garden windows not available in Beige  
†Brown is AAMA® SILVER Label Rated

INTERIOR  
WOODGRAIN  
COLORS\*

Light Oak

Medium Oak

Cherry

Brazilian Cherry

\*Garden windows not available in woodgrains



EXTERIOR PVC BOND COLORS

Forest  
Green 78

Champagne 10

Rosewood  
57

Sierra 83

Wedgewood  
Blue 93

Sandstone  
37

Gray 39

Terratone  
53

Almond 20

Royal Brown  
24

Colonial  
Ivory 32

Bronze 21

Coastal Dune  
08

Black 09



Sure-Coat™ is available in 14 colors. Our color matching system also allows us to custom match any color you choose. For a small fee we send your color sample to our World Class color supplier for a perfect match. Sure-Coat™ is warranted for 10 years.

## Lifetime Warranty

Our Lifetime Warranty is designed to protect your investment and our reputation. It guarantees that our windows will not rot, rust, warp, pit, corrode or blister, and that our vinyl colors will remain true for the life of your home.

Our Lifetime Warranty is non-prorated and is fully transferable. We also warranty all moving parts and the hermetically insulated seal against defects in materials or workmanship. Finally, we offer an optional lifetime glass breakage rider for extra peace of mind.



Soft-Lite® Windows is proud to be an ENERGY STAR® Partner. When you buy Soft-Lite's ENERGY STAR®

qualified Pro™ or Classic™ windows, you're buying the best.



To be certified a window must have an NFRC® label affixed to it.

Soft-Lite® tests all its windows to NFRC® specifications. Summary test results are available from your Soft-Lite® authorized dealer.



Manufacturer of Certified Products

Soft-Lite® tests all its windows to AAMA® specifications. Results are available on the AAMA® website and detailed test results are available from your Soft-Lite® authorized dealer. (www.aamanet.org)

**We offer Custom Colors! Actual color samples may vary from brochure. See your Soft-Lite® Dealer for more information on our custom color program and for more precise color representations.**



# Specialty Windows and Doors

One exciting benefit of choosing the Pro™/Classic™ product line is our large selection of window and door styles. Now you can include your windows and patio doors in your interior decorating plans.



*All Soft-Lite® windows are maintenance-free, which gives you more time to do the things that really matter in life.*



Three-Lite Slider



Two-Lite Casement

## Casements

The Pro/Classic Casement windows provide industry leading AAMA Gold Label Certified performance and some of the best NFRC Rated U-Factors in the window business.

Air: 0.05 cfm at 25 mph

Water: DP50, 54 mph at 8" rain per hour

Design Pressure: DP40, 153 mph windload

Thermal NFRC® Tested:

Pro™: 0.17 U-factor with Ultimate Glass™

Classic™: 0.18 U-factor with Ultimate Glass™



Bay Window with Casement Side Vents




Five-Lite Bow with Casement End Vents



Kingsroyal Glide™ Sliding Patio Door with internal tilt-only mini-blinds




Montpellier Glide™ Sliding Patio Door in Soft-White™



Garden Window with Trapezoid Casements


## Special Shapes



Our custom shaped architectural windows are fusion welded and available with these options:

- Soft-White™, Beige, or Brown vinyl. Light Oak, Medium Oak Cherry, and Brazilian Cherry woodgrain interiors with Soft-White™ or Beige exterior.
- Starburst, Sunburst, or Colonial grid patterns.
- Frosted glass.
- Low-E glass.

## Etched Glass Options



## Select Among High-Performance Glazing Options

Soft-Lite® purchases the best available glass products from leaders in the industry who focus exclusively on glass fabrication. Consult with your Soft-Lite® Window Representative for many additional options and ancillary products. **ALL NFRC® WINDOW LABELS** refer to whole window performance, not just the insulated glass unit.

### Soft-Lite® Pro™ Dual Pane High Performance Double Strength Low-E Glass with Super Spacer® and Argon

ENERGY STAR® Qualified in Highlighted Regions	
VINYL DOUBLE HUNG PRO Double Glazing, Argon Fill, Low-E	
ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./F-P) <b>0.28</b>	Solar Heat Gain Coefficient <b>0.30</b>
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance <b>0.54</b>	Condensation Resistance <b>56</b>
<small>Manufacturer attests that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined by a third party in accordance with conditions and a specific product line. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer literature for other product performance information.</small>	



This window is ENERGY STAR® qualified in North, North-Central, & South-Central zones. Upgrade of SOLAR LOW-E qualifies window in South zone and

provides: U-factor: 0.27, SHGC: 0.21, Visible Transmittance: 0.49

### Ultimate Glass™

### Soft-Lite® Pro™ Triple Pane Ultimate Glass™ with Super Spacer® and Krypton


ENERGY STAR® Qualified in Highlighted Regions	
VINYL DOUBLE HUNG PRO Triple Glazing, Krypton Fill, Low-E	
ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./F-P) <b>0.18</b>	Solar Heat Gain Coefficient <b>0.26</b>
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance <b>0.43</b>	Condensation Resistance <b>68</b>
<small>Manufacturer attests that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined by a third party in accordance with conditions and a specific product line. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer literature for other product performance information.</small>	



This window is ENERGY STAR® qualified in ALL Climate Zones.

### Soft-Lite® Classic™ Dual Pane High Performance Single Strength Low-E Plus™ Glass with Intercept® and Argon

ENERGY STAR® Qualified in Highlighted Regions	
VINYL DOUBLE HUNG CLASSIC Double Glazing, Argon Fill, Low-E	
ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./F-P) <b>0.30</b>	Solar Heat Gain Coefficient <b>0.29</b>
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance <b>0.55</b>	Condensation Resistance <b>55</b>
<small>Manufacturer attests that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined by a third party in accordance with conditions and a specific product line. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer literature for other product performance information.</small>	




This window is ENERGY STAR® qualified in North, North-Central, & South-Central zones. Upgrade of SOLAR LOW-E qualifies window in South zone and

provides: U-factor: 0.30, SHGC: 0.21, Visible Transmittance: 0.50

### ULTRA GLASS™

### Soft-Lite® Classic™ Triple Pane Ultra Glass™ with Intercept® Spacer and Argon

ENERGY STAR® Qualified in Highlighted Regions	
VINYL DOUBLE HUNG CLASSIC Triple Glazing, Argon Fill, Low-E	
ENERGY PERFORMANCE RATINGS	
U-Factor (U.S./F-P) <b>0.24</b>	Solar Heat Gain Coefficient <b>0.27</b>
ADDITIONAL PERFORMANCE RATINGS	
Visible Transmittance <b>0.44</b>	Condensation Resistance <b>63</b>
<small>Manufacturer attests that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined by a third party in accordance with conditions and a specific product line. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer literature for other product performance information.</small>	



This window is ENERGY STAR® qualified in ALL Climate Zones.

**OUR LIFETIME WARRANTY** protects your investment and our reputation. It guarantees that all moving parts and the hermetically insulated seal in our windows are free from defects in materials or workmanship. It also guarantees that our vinyl colors will remain true for the life of your home. Non-prorated. Transferable. Glass-breakage warranty available.

Soft-Lite®, window partner with the National Crime Prevention Council, offers intruder-resistant windows.



*No One Will Give You More.™*



10250 Philipp Parkway,  
Streetsboro, OH 44241  
Phone: (330) 528-3400  
Fax: (330) 528-3501  
www.soft-lite.com

© 2011 Soft-Lite L.L.C. Printed in the U.S.A. Specifications subject to change without notice. All photos and illustrations are property of Soft-Lite L.L.C. unless otherwise indicated. Soft-Lite® is a registered trademark of Soft-Lite L.L.C. Super Spacer®, Health Smart Windows® and TrueWARM™ are registered trademarks of Edgetech I.G. Inc. Energy Star® is a registered trademark of the EPA. Intercept® is a registered trademark of PPG Industries. No One Will Give You More™, Soft-Lite Pro™, Soft-Lite Classic™, Certa-Force™, Ultra-Glass™, and Ultimate-Glass™ are trademarks of Soft-Lite L.L.C.